




sales@ara-inc.com



COMPACT SATCOM ANTENNAS ARA-2576 SERIES



The **ARA-2576** series are high-gain, foldable Yagi Antennas designed and tested for military use. They fit together with a tripod and are ideal for tactical and field applications. These are extremely durable antennas that can be deployed several thousand times by military troops in harsh environments. The black anodized finish is suitable for use in environments found around the world. The complete assembly is folded and supplied in a water-resistant carrying bag.

This antenna is fully compatible with the Harris AN/PRC-117F/G, AN/PRC-152A, Thales AN/PRC-148 MBITR and Raytheon AN/PSC-5 radios.

The antenna is equipped with a net ballast for operation in high wind speeds. For use with the PRC-117F, PRC-117G, PSC-5D, MBITR, JEM, MBITR2, PRC-152A and any radio capable of UHF SATCOM.

ARA

8880 Gorman Road, Laurel, MD 20723
301-937-8888 | www.ara-inc.com



sales@ara-inc.com

FEATURES

- Each Director/Gain Extender provides an additional 2.0 dBic of gain.
- Deployment Time: < 3 minutes
- Black Anodized Finish
- Tripod with AZ and EL Mount
- Water-resistant carrying bag
- Compact Size
- Made in the USA

Revised June 2020

Specifications	
Gain	7.0 – 11.0 dBic
Frequency	240 to 400 MHz
Polarization	Right-Hand Circular
Impedance	50 Ohms
VSWR	< 1.5:1
Operating Temperature	-40° to +71°C
Storage Temperature	-47° to +85°C
Power Handling	200 Watts CW
Antenna Connector	Male, BNC Type
Cables	12' BNC male to BNC Female, with captive Type N and TNC adapters (2 each)

Configurations			
	ARA-2576	ARA-2576-2EX *	ARA-2576-6EX
Gain	7.0 dBic	9.0 dBic	11.0 dBic
Beam Width (Nominal)	100°	80°	65°
Directors/Gain Extenders	Not included.	1 each	2 each
* ARA-2576-2EX = NSN: 5985-01-149-2576			

The data described herein is subject to licensing under the International Traffic Arms Regulations (ITAR) 22 CFR Parts 120-130. This data sheet has been released into the public domain in accordance with these regulations.